




ELECTROSTATIC DISSIPATIVE

A complete range of workstations and accessories
for static sensitive environments

For all round excellence

E.S.D. Workstations

All E.S.D. workstations are available in C.L. or F.L. design and are supplied ready wired with 2 wrist strap sockets on the front rail, offering 10mm snap or 4mm banana plug connection for wrist straps and cords. A further point is located on the work-surface for grounding to earth.



All upper and lower work-station accessories are available in E.S.D. format with grounding points provided where required.

Work-surface availability

High pressure laminate
Two layer dissipative mat
Melamine faced dissipative chipboard
Dissipative chipboard
Dissipative vinyl

All work-surfaces conform to B.S. IEC 61340-5-1



E.S.D. Double sided M.F.C.

E.S.D. High Pressure Laminate

E.S.D. High Pressure Laminate

E.S.D. 2 Layer Mat

Size Availability

Length	600mm	1200mm	1500mm	1800mm
Depth	450mm	600mm	750mm	900mm
C.L. Fixed Height	760mm	840mm		920mm
C.L.2 Adjustable Height	760mm	800mm	840mm	

All workbenches come complete with adjustable feet for levelling purposes

Colour/Finish

All workstations have a powder coat finish to BS4800-00A05 grey. RAL and other BS4800 colours are available upon request at extra cost.

All worktops in the C.L. range have an 18mm M.D.F. core which is balanced depending on worktop surface and application.

Worktops have radiused corners and edges with lacquered finish to the M.D.F. core.

Bespoke benches can be manufactured to customers exact requirements - Contact our technical department.

A full range of workstation accessories can be found on the relative accessories leaflets.





UPPER WORKSTATION ACCESSORIES

A comprehensive range of accessories turning simple workbenches into fully ergonomic workstations

For all round excellence


Rear support posts

All upper workstation accessories require rear support posts

Available in Standard or Medium height, and are supplied in pairs

Height above work-surface 950mm Standard 500mm Medium

All units have a standard 50mm location hole pitch to suit all upper workstation accessories.



Articulated arms

Ergonomic articulated arms, which can be easily fitted to any of our standard rear support posts offer further flexibility to the operator, providing easy access to v.d.u. monitors, information or parts, depending on the type of arm used. With the ability to be folded away towards the rear of the workstation, maximum work-surface usage can be achieved.

Technical Information & Size availability

Product	Width				
	1000mm	1200mm	1500mm	1800mm	2000mm
Light/Tool Rail	1000mm	1200mm	1500mm	1800mm	2000mm
Fluorescent Light	900mm	1200mm	1500mm	1800mm	
Service Panel	1000mm	1200mm	1500mm	1800mm	2000mm
Bin Rail	1000mm	1200mm	1500mm	1800mm	2000mm
Upper shelf depth 300mm	1000mm	1200mm	1500mm	1800mm	2000mm
Upper Shelf depth 450mm	1000mm	1200mm	1500mm	1800mm	2000mm
Accessory Rails	1000mm	1200mm	1500mm	1800mm	2000mm

Rear Accessory Rails

These rails provide a unique track system to slide all rear accessory modules. Several modules are available: louvre panel, pin board, parts storage and tool panel.


Modules can be added or removed from the track giving maximum flexibility to the operator.

Rear Accessory Modules

Louvre Panel	470mm x 470mm
Tool Panel	540mm x 470mm
Pin Board	470mm x 470mm
Parts Storage Cabinet	470mm x 430mm (see front cover)




Louvre panel module



Tool panel module




Pinboard module

 All upper workstation accessories are available with full E.S.D. Protection


Overhead Light/Tool Rail

This provides a mounting for a fluorescent light unit, or tool track to mount overhead tools such as air operated screwdrivers etc.



Fluorescent light units

Both opal and prismatic diffuser fluorescent lamps are offered, for workstations requiring standard illumination. When V.D.U.'s are used on a workstation, a category II lamp unit (see above) is offered to comply with current regulations.




Service Panel Module

A three-compartment extrusion is offered in both PVCu and aluminium to service all power and data cable requirements.




Bin Rail

This cost-effective rail provides an unobtrusive, simple solution to parts storage at the rear of the workstation and aids good housekeeping practices.



Upper Shelves

A standard upper shelf is available with a depth of 300mm and provides an excellent storage space above the worksurface. Also available is a 450mm deep shelf, which has been primarily designed for use with test and analytical equipment. Front support legs are fitted to this deep shelf for extra support.



All upper workstation accessories are available with full E.S.D. Protection



FL DESIGN

The height adjustable FL range offers high load capabilities and excellent stability

For all round excellence

F L D E S I G N

The manually height adjustable F.L. range of workstations offers high load capabilities, and excellent stability with its "leg on each corner" construction.

The modular design of the F.L. range gives total flexibility to the user, enabling any of the upper or lower workstation accessories to be fitted. Adding these accessories will transform the standard F.L. workbench into a complete ergonomic workstation, meeting the most demanding criteria of the modern industrial environment.

So why does technibench use mostly round tube rather than traditional square?

Strength

It is an engineering fact that round tubes are inherently stronger than their square equivalent

User friendly

There are no awkward corners or sharp edges. All our workbenches have smooth radiused edges making them more "user friendly" in the workplace.

Stability

Because of its unique design and method of construction a greater degree of stability is attained

Aesthetically pleasing

Using the latest design concepts, our products will enhance any working environment.

Technical information

	Sizes Available			
Length	600 mm	1200 mm	1500 mm	1800 mm
Depth	450 mm	600 mm	750 mm	900 mm
FL standard Adjustable Height	760 mm	840 mm	880 mm	960 mm

All workbenches come complete with adjustable feet for levelling purposes



Colour/Finish

All workstations have a powder coat finish to BS4800-00A05 grey. RAL and other BS4800 colours are available upon request at extra cost



Standard F.L. design height adjustable legs



Trespa®
High Pressure Laminate
M.D.F.

Work Surfaces


Grey high pressure laminate, Grey/Blue Vinyl, MDF, Trespa®

All worktops in the F.L. range have an 18mm M.D.F. core which is balanced depending on worktop surface and application. Worktops have radiused corners and edges with either a lacquered finish to the M.D.F. core or a soft feel PVC edging strip depending on work surface and application. Bespoke benches can be manufactured to customers exact requirements - Contact our technical department.



All F.L. design workstations are available with full E.S.D. Protection

A full range of workstation accessories can be found on the relative accessories leaflets.





LOWER WORKSTATION ACCESSORIES

Ergonomically designed drawers & cupboards offer excellent storage on all workstation range

For all round excellence

Drawers & Cupboards

Our complete drawer and cupboard range has been ergonomically designed with the workstation user in mind. The stainless steel handle is asymmetrically fitted for ease of use, with the lock being fitted towards the operator for convenience.

Divisible A.B.S. or steel inners can be fitted, taking up to a massive 50KG per drawer. Slides are of the double runner ball bearing type and are completely enclosed to make all Technibench drawers safe in operation.

With a wide range of coloured side and escutcheon panels, Technibench drawers and cupboards really are the smart storage solution for our workstations.

Technical information

	Standard Size Availability				
	Width	Height	Depth		
Cupboard	440mm	525mm	540mm		
Triple Drawer	440mm	525mm	540mm		
Double Drawer	440mm	325mm	540mm		
Single Drawer	440mm	225mm	540mm		
Packing Station	1000mm	1200mm	1500mm	1800mm	2000mm
Standard draw unit colours					
RAL6029	Green				
RAL5015	Blue				
RAL3020	Red				
BS18B25	Grey				
Drawer units are available in other colours at extra cost.					



All workstations are available with full E.S.D. Protection




A full range of workstations can be found on the relative leaflets.



Packing Station Kit

The packing station kit can be fitted to any of our FL Range of workstations. The kit enables a standard workstation to be converted into a packing station, to dispense corrugated card, bubble wrap, polythene sheet and Kraft paper.

Cutting knives and all other packing accessories are available on request. The kit is supplied in matching epoxy powder coated finish.



CL DESIGN

Ideally suited to assembly type operations where maximum manoeuvrability is required

For all round excellence

C L DESIGN

The fixed height C. L. range of workstations, with its cantilever style leg configuration, is ideally suited to assembly type operations where the operator requires maximum manoeuvrability.

The modular design of the C. L. range gives total flexibility to the user, enabling any of the upper or lower workstation accessories to be fitted. Adding these accessories will transform the standard C.L. workbench into a complete ergonomic workstation, meeting the most demanding criteria of the modern industrial environment.

Also available, the all new manually height adjustable C.L.II range, offering 3 of the most popular work-height options.

Technical information

	Standard Size Availability			
Length	600 mm	1200 mm	1500 mm	1800 mm
Depth	450 mm	600 mm	750 mm	900 mm
CL Fixed Height	760 mm	840 mm	880 mm	960 mm
C.L.II Adjustable Height	760mm	800mm	840mm	



All workbenches come complete with adjustable feet for levelling purposes

Colour/Finish

All workstations have a powder coat finish to BS4800-00A05 grey. RAL and other BS4800 colours are available upon request at extra cost

New

Now available our all new C.L. Design height adjustable workstation. Height range 760-840mm. With its simple manual height adjustment system the new C.L.II is now even more versatile in the workplace.



C.L.II Adjustable Height Legs 760-800-840mm



Trespa®

High Pressure Laminate

M.D.F.

Work Surfaces

Grey high pressure laminate, Grey/Blue Vinyl, M.D.F., Trespa®


All worktops in the CL. range have an 18mm M.D.F. core which is balanced depending on worktop surface and application. Worktops have radiused corners and edges with either a lacquered finish to the M.D.F. core or a soft feel PVC edging strip depending on work surface and application. Bespoke benches can be manufactured to customers exact requirements - Contact our technical department.



All C.L. design workstations are available with full E.S.D. Protection

A full range of workstation accessories can be found on the relative accessories leaflets.





LOUVRE PANELS

A versatile storage and dispensing solution which can be used with all standard louvre panel accessories.

For all round excellence

Desktop louvre panel



Desktop Louvre Panel

Size: 500x500x300mm

This stand alone unit can be used with all standard louvre panel accessories, i.e. plastic bins, tool hooks, and metal shelves. It offers an alternative storage and dispensing solution to our rear and articulated louvre panels.

A double sided version of this unit is also available.

Ergonomic articulated louvre panel




Ergonomic Articulated Louvre Panel

This fully adjustable arm can be fitted at any height at either left or right hand rear support posts. With the adjustable centre joint and end swivel the louvre panel can be presented with product to the operator or easily repositioned to the rear of the workstation when not in use.

Louvre Panel: 470x240

Arm extends from 200mm to 480mm

Wall Mounted Tool Panel



Wall Mounted Tool Panel

This versatile tool panel can be fitted with a wide range of clips and holders to accommodate most tools used in the workshop.

Size: 520x440mm

Wall mounted Louvre Panels

Size Availability:


460mm x 460mm 460mm x 920mm

920mm x 460mm 920mm x 920mm

Other sizes are available on request. All louvre panels are available in both painted and bright zinc plated finishes. A range of standard and conductive boxes are available to suit all our louvre panels. Easily wall mounted through pre-punched holes.



Wall mounted Louvre Panels



All louvre panels are available with full E.S.D. Protection



ESD CHAIRS & FOOTRESTS

A complete range of electrostatic dissipative chairs and footrests to suit all static sensitive environments

For all round excellence

Astwood Range

The Astwood range of electro-static dissipative chairs offers protection from static charges at a budget price. With a standard seat pad and screw lift or gas height adjustment, they represent excellent value for money. All chairs in the Astwood range come with a 5 star base fitted with glides or castors.



Standard Chair

Simple back adjustment and positioning. Height adjustable from 410-520 mm.



High Chair

Height adjustable from 430-540mm, with simple back adjustment and positioning.



Draughtsman/Laboratory Chair

Simple back adjustment and positioning. Height adjustable from 610-720 mm or 560-670 mm. Fixed footring 170-220 mm from base.

Leamington Range

This superior quality task and operator chair range offers the ultimate combination of style and adjustability. All feature large posture seat and 585mm 5 star base with glides or twin-wheel hooded castors.



Vinyl Chair

Gas height adjustable 430 - 560mm. Seat and back rest adjustment.



Fabric Chair

Gas height adjustable 430 - 560mm. Seat and back rest adjustment.



Fabric High Chair

Gas lift 520 - 720mm. Adjustable seat and back rest. Chrome footring and five glides



Ergonomic Adjustable Footrest

450x350 mm top pad size. Robust steel construction. Non-slip top pad surface with conductive rubber mat. Simple height adjustment from 125 to 330mm. Angle or foot pad adjustable from flat to 25°. B.Z.P adjustable feet for uneven surfaces and grounding.

Worcester Range

This superior quality task and operator chair range offers the ultimate combination of style and adjustability. All feature large posture seat and 585mm 5 star base with glides or twin-wheel hooded castors.



Technicians Stool

Gas height adjustable 650-750mm. Chrome Footring.



Deluxe Operator Chair

Gas or Screw height adjustable 430-560mm. Fully adjustable.



Excel Operator Chair

Gas lift 460-580mm. Adjustable back height Lumbar Support. Standard or adjustable arms, rake, tilt or synchro mechanism, fabric or leather upholstery.



Fixed E.S.D. Footrest

Non-slip E.S.D. top pad. Fixed 15° angle. Bright zinc-placed adjustable feet. Powder coated 00A05 Grey.



CHAIRS & FOOTRESTS

A complete range of standard chairs and footrests
to suit all applications

For all round excellence

Warwick Range

This superior quality task and operator chair range offers the ultimate combination of style and adjustability. All feature large posture seat and 23 inch 5 star base with glides or twin-wheel hooded castors.



Technicians Stool
Gas height adjustable 650-750mm
Chrome footing.



Deluxe Operator Chair
Gas or screw height adjustable 430-560mm fully adjustable.



Excel Operator Chair
Gas Lift 460-580mm adjustable back height Lumbar support standard or adjustable arms, rake, tilt or synchro mechanism, fabric or leather upholstery.

Stratford Range

The Stratford Range offers quality at a budget price. Stratford chairs feature a generous waterfall-front seat, gas height adjustment, and 5-star castor bases. All chairs are available with or without arms.



Midback
A fixed back mechanism offers height and depth adjustable backrest.



Highback
The permanent contact mechanism offers an adjustable fixed or floating backtilt mechanism.



Synchro
With a synchro mechanism a single lever offers fixed or floating seat and back tilt.

Henley Range

Ideally suited to the industrial environment, the Henley range of hard wearing polyurethane chairs offer a generous waterfall front seat with a gas lift and five star base fitted as standard.



Stool

Gas height adjustable 500-700mm, Base fitted with glides.



Standard Chair

Gas height adjustable 500-700mm. Fully adjustable backrest. Base fitted with castors.



Draughtsman/Laboratory Chair

Gas lift 550-880mm. Fully adjustable backrest. Height adjustable chrome footring. Base fitted with glides.

Alcester Range

This industrial range of chairs, with beech ply seat and back rests, are ideal for the food, catering and confectionary industries. All chairs in the Alcester range have a standard five star base and can be fitted with manual or gas lift height adjustment options.



Standard Chair

Simple back adjustment and positioning. Height adjustable from 410-520mm. Base fitted with castors.



High Chair

Adjustable from 430-540mm in height, with simple back adjustment and positioning. Base fitted with glides.



Draughtsman/Laboratory Chair

Simple back adjustment and positioning. Height adjustable from 610-720 mm or 560-670 mm. Base fitted with glides. Fitted footring 170 or 220 mm high.

STANDARD WORKSTATION FOOTRESTS



Fixed Footrest

445x385 mm top pad size. rigid polyurethane construction. Anti-slip top pad and feet available in black/grey as illustrated.

Budget Adjustable Footrest
450x350mm top pad size. Robust construction with cushioned non-slip surface. Easy to adjust mechanism by hand or foot. Angle adjustable from flat to 25°. Height adjustable from 32mm front to 170mm back.



Ergonomic Adjustable Footrest

450x350mm top pad size. Robust steel construction. Non-slip top pad surface. Simple height adjustment from flat to 25°. Adjustable feet for uneven surfaces.

